L/C, D/A, D/P, T/T, Western Union,

# 75 Inch Smart Conference Interactive Whiteboard Touch Control Classroom Digital Whiteboard

#### **Basic Information**

- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Delivery Time: 15-25days

sunsanxin

ZT650LED

MoneyGram 2000

5PCS

- Payment Terms:
- Supply Ability:



## **Product Specification**

| Touch Points:      | 10 Points Touch  |  |
|--------------------|--|--|
| Response Time:     | 8ms  |  |
| Memory Capacity:   | 2GB/4GB/8GB  |  |
| Multiple Sizes:    | 55,65,75,85,98inches   |  |
| • Type:            | Touchscreen  |  |
| • Widescreen:      | Yes  |  |
| Interactive Tools: | Annotation, Screen Recording, Etc.   |  |
| • Highlight:       | smart conference interactive whiteboard,<br>conference interactive whiteboard touch,<br>touch control classroom digital whiteboard |  |



## More Images

| Y |  |
|---|--|
|   |  |

### **Product Description**

75 Inch Smart Interactive Whiteboard With Touch Control For School Conference Whiteboard

#### **Product Details:**

4K 65 inch 20 Points Touch Screen LED Flat Panel Interactive Whiteboard For Conference Meetting

Flat panel Interactive whiteboard quick details:

1>Screen size:65"/75" option

2>Screen resolution:4K 3840\*2160

3>IR touch screen,20 points touch

4>Dual system, Android 8.0 OS and Win 10 Pro

5>OPS PC:Intel I3/I5/I7 optional,4GB RAM,128GB SSD

6>built with 8W\*2 speaker

7>Normal temperared glass or anti glare glass option

8>Wall mount or floor standing base option

9>Come with whiteboard software free, support Annotation can save and send via email 10>can be use for video conference, education white board for hotel, restaurant, school, etc.


| Technical Parameter for<br>65" touch sceen<br>whiteboard | IPanel Size                                | 65inch flat panel interactive |  |
|--|--|-------------------------------|--|
|  |  | whiteboard                    |  |
|  | Aspect Ratio                               | 16:9                          |  |
|  | Active Area                                | 1428MM(W)*803MM(H)            |  |
|  | Max.                                       | 3840x2160                     |  |
|  | Resolution                                 |                               |  |
|  | Dot Pitch                                  | 0.372mm(H) x 0.372mm(W)       |  |
|  | Number of                                  | 16.7M                         |  |
|  | Color                                      |                               |  |
|  | Brightness                                 | 350cd/m2                      |  |
|  | Contrast Ratio                             | 1200:1                        |  |
|  | Responsive                                 | 8ms                           |  |
|  | Time                                       |                               |  |
|  | Panel Life                                 | above 50000 hours             |  |
| Support Ad files   | Video formats                              | MP4(AVI:DIVX/XVID),MPG2(DVD:  |  |
|  |  | VOB/MPG2), MPEG1 (VCD:        |  |
|  |  | DAT/MPG1),AVI                 |  |
|  | Audio formats                              | MP3                           |  |
|  | Photo formats                              | JPG, PNG,BMP                  |  |
| OSD Language   | English, Chinese, French, German, Italian, |                               |  |
|  | Spanish,Arabic                             |                               |  |
























C 13719313358 2 13822204857@163.com C tvledsmart.com

401, Building C, No. 2, Anping Road, Huijiang Village, Dashi Street, Panyu District, Guangzhou City